

[Home](#) » [Tech](#) » This Article

Flight Mill



Common Pesticide Damages Honey Bees' Ability to Fly, UCSD Finds

POSTED BY CHRIS JENNEWEIN ON APRIL 26, 2017 IN TECH | 88 VIEWS | 0 COMMENTS | [LEAVE A COMMENT](#)

Share This Article:



Biologists at [UC San Diego](#) have demonstrated for the first time that a widely used pesticide can significantly impair the ability of honey bees to fly.

The finding raising concerns about how pesticides affect their capacity to pollinate and the long-term effects on the health of honey bee colonies.

Previous research has shown that foraging honey bees that ingested neonicotinoid pesticides, crop insecticides that are commonly used in agriculture, were less likely to return to their home nest, leading to a decrease in foragers.

A study published Wednesday in [Scientific Reports](#) by UCSD postdoctoral researcher Simone Tosi, Biology Professor James Nieh, along with Associate Professor Giovanni Burgio of the University of Bologna, Italy, describes in detail how the neonicotinoid pesticide [thiamethoxam](#) damages honey bees.

To test the hypothesis that the pesticide impairs flight ability, the researchers designed and constructed a bee flight-testing instrument from scratch. This allowed them to fly bees

GET TIMES OF SAN DIEGO BY EMAIL

Our **free** newsletter is delivered at 8 a.m. daily.

Email Address*

* = required field

SUBSCRIBE

under consistent and controlled conditions.

Months of testing and data acquisition revealed that typical levels of neonicotinoid exposure, which bees could experience when foraging on agricultural crops—but below lethal levels—resulted in substantial damage to the honey bee’s ability to fly.

“Our results provide the first demonstration that field-realistic exposure to this pesticide alone, in otherwise healthy colonies, can alter the ability of bees to fly, specifically impairing flight distance, duration and velocity” said Tosi. “Honey bee survival depends on its ability to fly, because that’s the only way they can collect food. Their flight ability is also crucial to guarantee crop and wild plant pollination.”

Long-term exposure to the pesticide over one to two days reduced the ability of bees to fly. Short-term exposure briefly increased their activity levels. Bees flew farther, but based upon other studies, more erratically.

“Bees that fly more erratically for greater distances may decrease their probability of returning home,” said Nieh, a professor in UC San Diego’s Division of Biological Sciences.

This pesticide does not normally kill bees immediately. It has a more subtle effect, said Nieh.

“The honey bee is a highly social organism, so the behavior of thousands of bees are essential for the survival of the colony,” said Nieh. “We’ve shown that a sub-lethal dose may lead to a lethal effect on the entire colony.”

Honey bees carry out fundamentally vital roles in nature by providing essential ecosystem functions, including global pollination of crops and native plants. Declines in managed honey bee populations have raised concerns about future impacts on the environment, food security and human welfare.

Neonicotinoid insecticides are neurotoxic and used around the world on broad varieties of crops, including common fruits and vegetables, through spray, soil and seed applications. Evidence of these insecticides has been found in the nectar, pollen and water that honey bees collect.

“People are concerned about honey bees and their health being impaired because they are so closely tied to human diet and nutrition,” said Nieh. “Some of the most nutritious foods that we need to consume as humans are bee-pollinated.”

>> Subscribe to Times of San Diego's free daily email newsletter! [Click here](#)

Follow Us:



POSTED IN TECH | TAGGED HONEY BEES, PESTICIDES, POLLINATION, THIAMETHOXAM, UC SAN DIEGO

MOST POPULAR TODAY



1 Dead, 7 Hurt and Suspect Killed in Mass Shooting at UTC Apartment Complex 9,240 views
37 Gangsters Taken Down by Feds, Local Cops During San Diego Sting Operation 1,570

views



Swimmer Suffers Severe Arm Injury in Apparent Shark Attack off San Onofre Beach 1,500 views



Donovan State Prison Inmate Dead for Days Before Being Discovered 1,150 views



7,000 March for Planet Earth in San Diego 'State of Resistance' 910 views



Journalists on the ground.
Stories grounded in facts.

Get 50% off for one year.
Offer ending soon.

[SUBSCRIBE NOW](#)

The New York Times


SUPPORT TIMES OF SAN DIEGO

Times of San Diego is a free news website that depends on advertising and your voluntary contributions. If you like what you're reading, **please contribute!** The suggested contribution is \$10 per year via the secure PayPal system.

[Donate](#)




Related



UCSD Biologists Discover 'Timesharing' Strategy in Bacteria Communities



Potential New Drug Class Hits Multiple Cancer Cell Targets, Boosting Efficacy and Safety



UC San Diego Gets Grants for Zika Vaccine, Ovarian Cancer Treatment



Scientists to March in San Diego, Nationally, Advocating for Science

Explore Times of San Diego



Opinion: There's No End—and No Accounting—to CSU's Administrative Bloat



UCSD Hillel Project Approved by Planning Commission after 17-Year Effort



Donovan State Prison Inmate Dead for Days Before Being Discovered



Opinion: Mega In-Fill Development Is San Diego's Hot-Air Balloon

YOU Native Ads

MIGHT ALSO LIKE



Things You Didn't
Know About Barron
buzzing.media

REAL OR FAKE? - 1 / 10

COWS GIVE MORE MILK
WHEN THEY LISTEN TO
MUSIC

FAKE   REAL

00 YOUR
SCORE

THE MOST UNFORTUNATE
PHOTOS EVER TAKEN

SHARELIKELY

0 Comments

Sort by Oldest



Add a comment...

Facebook Comments Plugin



Journalists on the ground.
Stories grounded in facts.

Get 50% off for one year.
Offer ending soon.

SUBSCRIBE NOW

The New York Times