

- [Home](#)
- [Biology](#)
- [Plants & Animals](#)
- [October 2, 2013](#)

Fear of predators drives honey bees away from good food sources

Oct 02, 2013



[Enlarge](#)

The smaller hornet studied by the researchers attacks a honeybee forager on a flower. Credit: Ken Tan

Most of us think of honey bees as having a bucolic, pastoral existence—flying from flower to flower to collect the nectar they then turn into honey. But while they're capable of defending themselves with their painful stings, honey bees live in a world filled with danger in which predators seize them from the sky and wait to ambush them on flowers.

✓ Ad muted. [Undo](#)

We'll do our best to show you more relevant ads in the future.

Help us show you better ads by updating your [ads settings](#).

Google™

Such fear drives bees to avoid [food sources](#) closely associated with predators and, interestingly, makes colonies of bees less risk-tolerant than individual bees, according to a study published in this week's issue of the open-access journal *PLOS ONE*.

"This strategy of colonies collectively exhibiting significantly more caution than the riskier individual foragers may help honey bees exploit all of the available food sources, with some intrepid foragers visiting more dangerous food while the colony judiciously decides how to best allocate its foraging," says James Nieh, a professor of biology at UC San Diego.

Nieh worked with scientists at Yunnan Agricultural University in China to study the impact on foraging Asian honey bees of the monstrous-looking Asian Giant hornet, *Vespa tropica*, and a smaller hornet species known as *Vespa velutina*, which has invaded Europe and now poses a threat to European honey bees.

"The Asian Giant hornets are dangerous, heavily armored predators," says Ken Tan, the first author of the paper, who also works at the Chinese Academy of Science's Xishuangbanna Tropical Botanical Garden. "Bee colonies respond by forming balls of defending bees, encasing the hornet and, in some cases, cooking it to death with heat generated by the bees."

The researchers found that bees treated the bigger hornet species, which is four times more massive than the smaller species, as more dangerous. In a series of experiments, they presented bees with different combinations of safe and dangerous feeders—depending on their association with the larger or smaller hornets—containing varying concentrations of sucrose.

"Bees avoided the dangerous feeders and preferred feeders that provided sweeter nectar," says Nieh. "However, [predators](#) are clever and can focus on sweeter food, ones which bees prefer. So we also tested how bees would respond when sweeter food was also more dangerous. What we found was that the individual [bees](#) were more risk-tolerant. They avoided the giant hornet at the best food, but continued to visit the lower quality food with the smaller [hornet](#)."

Explore further: [How do bees make honey? It's not just bee barf](#)

More information: dx.plos.org/10.1371/journal.pone.0075841

Journal reference: [PLoS ONE](#)

Provided by [University of California - San Diego](#)

-
-
-
-

[view popular](#)

5 / 5 (3 votes)

0

28

Tweet

-
-

submit

reddit

FREE

Magazines & Downloads


Subscribe Today!

PHYSORG.com






- [Featured](#)
- [Popular](#)
- [Most shared](#)



[Researchers create image of weak hydrogen bond using AFM](#)

Oct 01, 2013


1



[Recent study reduces Casimir force to lowest recorded level](#)

Oct 01, 2013


13



[Breakthrough in photonics could allow for faster and faster electronics](#)

Oct 01, 2013


2



[Physics duo suggest using early universe inflation as graviton detector](#)

Oct 02, 2013

13



[Strange behavior of bouncing drops demonstrates pilot-wave dynamics in action \(w/ Video\)](#)

Oct 01, 2013

21

Phys.org on

Follow

+59,022

[Phys.org on facebook](#)

I like

140,953 people like this. Be the first of your

Relevant PhysicsForums posts

[Could ivory be made synthetically?](#)

Oct 02, 2013

[Microbes and Gene Swapping -- How Common Is This?](#)

Oct 01, 2013

[How does Hay differ from fresh cut grasses](#)

Sep 29, 2013

[Chiral life concept - creating mirror image synthetic life?](#)

Sep 29, 2013

[i don't understand linkages](#)

Sep 29, 2013


[Our subjective experience is an underestimated tool to discover](#)

Sep 24, 2013


More from [Physics Forums - Biology](#)




Where did Christie Brinkley land on the list of 50 greatest swimsuit models?



What happens to your body when you take a free testosterone supplement?



The FDA has approved a solution for snoring & sleep apnea that does not require a cumbersome CPAP.



The Hottest pictures of Big Bang Theory's Kaley Cuoco

ADVERTISEMENT

- [Top](#)
- [Send Feedback](#)

Related Stories

[Asian honey bees defend threat by banding together and shaking abdomens](#)

Feb 24, 2012

Theory suggests that signals between prey and predator can coevolve. In order for an ‘I see you’ display to evolve, the prey species must be able to back up its ‘I see you’ with action, by outrunning the ...



[How do bees make honey? It's not just bee barf](#)

Jun 20, 2013

(Phys.org) —Last weekend, my daughter asked me how bees made honey, and I realized that I didn't know the answer. How do bees make honey? I did some homework, and can now explain it to her – and to you.



[Researchers find high-fructose corn syrup may be tied to worldwide collapse of bee colonies](#)

Apr 30, 2013

Recommended for you

(Phys.org) —A team of entomologists from the University of Illinois has found a possible link between the practice of feeding commercial honeybees high-fructose corn syrup and the collapse of honeybee colonies ... [60 possible new species found in Suriname forest \(Update\)](#)

User comments

[Commonly used pesticide turns honey bees into 'picky eaters'](#)

19 hours ago

Please [sign in](#) to add a comment. Registration is free, and takes less than a minute. [Read more](#)
Brazing perilous river rapids in Suriname's rainforest, international scientists found six frogs and 11 fish that are among 60 creatures that may be new species, a tropical ecologist with a U.S.-based conservation ... Biologists at U/C San Diego have discovered that a small dose of a commonly used crop pesticide turns honey bees "picky eaters" and affects their ability to recruit their nestmates to otherwise good sources of food. [Genetics used to sort out poorly known—and hunted—whale species](#)



Some times genetically – one group of whales from another, say researchers attempting to define populations of a medium-sized and poorly understood baleen whale that is sometimes targeted by whalers' scientific

Click here to find out how to protect the bees' ability to fight off a potentially lethal notified insect when new decisions made.

More news stories [Two studies show why biodiversity is important for pollination services in California](#)



Traditionally, honey bee research has focused on environmental stressors such as pesticides, pathogens and diseases. Now a research team led by

Agricultural demand for pollination is growing more quickly than the supply of university bees. The dominant researchers from Aarhus University have collaborated with a Japanese group of researchers to establish a species manager for crop pollination. Increasing the efficiency of pollination represents a way of increasing the structure of a crucial enzyme—the so-called sodium-potassium pump—which forms part of every cell ...



Oct 03, 2013
(Phys.org) —Man-made noise in the oceans may have significant damaging effects on shellfish populations, according to a new international study published today.
The two new species described from Uruguay, *Chaco castanea* and *Chaco costai*, are middle

Tom22, the bouncer of the mitochondrion

Mitochondria burn sugar and supply the cell with energy. They were long thought to be structures that are relatively independent of the cell. However, Carolin Gerbeth, a PhD student from the trinational research ...

Oct 03, 2013

A microbe's fountain of youth

False killer whales (*Pseudorca crassidens*) are one of the least studied species of ocean dolphin, but new light has been cast upon their behavior by a team of marine scientists from New Zealand. The East African pilot whale, *Grampus griseus*, has been used as a model organism in molecular and cell biology for the ...



... milestone achievement in the global effort to make scientific collections widely available online. The New York Botanical Garden recently added the two million plant specimens to its digital archive.

... rainforest, international scientists found six frogs and a million that are among 900 endangered species, a tropical ecologist with a U.S.-based conservation ...



(Medical Xpress)—A group of Brigham and Women's Hospital, and Harvard Stem Cell Institute researchers and collaborators at MIT and MGH have found a way to use stem cells as drug delivery vehicles.

N.J to start Internet gambling Nov. 26

Internet gambling will begin in New Jersey on Nov. 26, after a five-day trial period to make sure things work properly.

India launches indigenous vaccine for Japanese encephalitis

India on Friday launched an indigenous vaccine against Japanese encephalitis as part of a national programme to fight the virus.

Dietary intervention reduces stomach problems for diabetes patients

Many diabetes patients suffer from symptoms such as nausea, vomiting and lack of appetite. A doctoral thesis from the Sahlgrenska Academy shows that a diet consisting of foods that fall apart easily, for example boiled potatoes ...

Researcher finds a new role for the benefits of oxygen

In a study published in *EMBO Molecular Medicine*, a Dartmouth researcher found that dying heart cells are kept alive with spikes of oxygen.

-
-
-
-
- - [Profile](#)
 - [Newsletter](#)
 - [Favorites](#)
 - [Activity](#)
 - [PM](#)
 - [My news](#)
- [Sign In](#)
- [Register](#)

- [All Science](#)
- [Nanotechnology](#)
 - [All Nanotechnology](#)
 - Previews will load in a moment
 - [Bio & Medicine](#)
 - Previews will load in a moment
 - [Nanophysics](#)
 - Previews will load in a moment
 - [Nanomaterials](#)
 - Previews will load in a moment
- [Physics](#)
 - [All Physics](#)
 - Previews will load in a moment
 - [General Physics](#)
 - Previews will load in a moment
 - [Condensed Matter](#)
 - Previews will load in a moment
 - [Optics & Photonics](#)
 - Previews will load in a moment
 - [Superconductivity](#)
 - Previews will load in a moment
 - [Plasma Physics](#)
 - Previews will load in a moment
 - [Soft Matter](#)
 - Previews will load in a moment
 - [Quantum Physics](#)
 - Previews will load in a moment
- [Space & Earth](#)
 - [All Space & Earth](#)
 - Previews will load in a moment
 - [Earth Sciences](#)
 - Previews will load in a moment
 - [Astronomy](#)
 - Previews will load in a moment
 - [Environment](#)
 - Previews will load in a moment
 - [Space Exploration](#)
 - Previews will load in a moment
- [Electronics](#)
 - [All Electronics](#)
 - Previews will load in a moment
 - [Consumer & Gadgets](#)
 - Previews will load in a moment
 - [Hardware](#)
 - Previews will load in a moment
 - [Robotics](#)
 - Previews will load in a moment
- [Technology](#)
 - [All Technology](#)
 - Previews will load in a moment
 - [Internet](#)
 - Previews will load in a moment
 - [Software](#)
 - Previews will load in a moment
 - [Business](#)
 - Previews will load in a moment
 - [Engineering](#)
 - Previews will load in a moment
 - [Semiconductors](#)
 - Previews will load in a moment
 - [Other](#)
 - Previews will load in a moment
 - [Telecom](#)
 - Previews will load in a moment
 - [Energy & Green Tech](#)
 - Previews will load in a moment
 - [Computer Sciences](#)
 - Previews will load in a moment
 - [Hi Tech & Innovation](#)
 - Previews will load in a moment
- [Chemistry](#)
 - [All Chemistry](#)
 - Previews will load in a moment
 - [Biochemistry](#)
 - Previews will load in a moment
 - [Polymers](#)
 - Previews will load in a moment
 - [Analytical Chemistry](#)
 - Previews will load in a moment
 - [Materials Science](#)
 - Previews will load in a moment
 - [Other](#)

- Previews will load in a moment
- [Biology](#)
 - [All Biology](#)
 - Previews will load in a moment
 - [Plants & Animals](#)
 - Previews will load in a moment
 - [Evolution](#)
 - Previews will load in a moment
 - [Ecology](#)
 - Previews will load in a moment
 - [Cell & Microbiology](#)
 - Previews will load in a moment
 - [Biotechnology](#)
 - Previews will load in a moment
 - [Other](#)
 - Previews will load in a moment
- [Medicine & Health](#)
- [Other Sciences](#)
 - [All Other Sciences](#)
 - Previews will load in a moment
 - [Mathematics](#)
 - Previews will load in a moment
 - [Archaeology & Fossils](#)
 - Previews will load in a moment
 - [Other](#)
 - Previews will load in a moment
 - [Social Sciences](#)
 - Previews will load in a moment
 - [Economics & Business](#)
 - Previews will load in a moment

- - [Top](#)
 - [Home](#)
 - [Medical Xpress](#)
 - [Search](#)
- - [Help](#)
 - [FAQ](#)
 - [About](#)
 - [Contact](#)
- - [Phys.org Account](#)
 - [Sponsored Account](#)
 - [Newsletter](#)
 - [RSS feeds](#)
- - [Feature Stories](#)
 - [Weblog & Reports](#)
 - [Podcasts](#)
 - [Archive](#)
- - [iPhone iPad Apps](#)
 - [Blackberry App](#)
 - [Android App & Widget](#)
 - [Amazon Kindle](#)
 - [PDA version](#)

-
-
-
-
-

- [Privacy Policy](#)
- [Terms of Use](#)